



MINING

CONSTRUCTION

INDUSTRIAL

MARITIME

Accessories

Construction Crane & Boom Brackets

Our Construction Crane Brackets are built for rental companies and construction firms to boost on-site safety, reduce light pollution, and enhance sustainability. Made from 5 mm hot dip galvanized steel, they install easily with a robust pin system and adjustable back, fitting all tower crane brands. With options like full cut-off lighting or a smart distribution bracket powering up to four lights, these rugged brackets are backed by a 5-year warranty.



Barracuda Boom Bracket

Compatible luminaire: 4x BA-48-320AC

Configuration: 4x Luminaire Bracket +
1x Driver Bracket

Driver option: Remote on bracket

Weight: 48.5 kg

Dimensions: 700 x 510 x 740 mm




Orca Crane Bracket

Compatible Luminaire: OR-156-800AC

Driver option: Remote on bracket


Weight: 82.6 kg

Dimensions: 800 x 1200 mm



Compact, stackable storage

The compact and efficient design, has been optimized for use and for storage. When not in service up to 16 units can be stacked on a standard pallet, optimizing transport and storage.



DL-CCB-400+DIS

Luminaire type: DL-01-400AC

Driver type: Remote


Distribution: 4 x 400V / 230V

Connector type: 3/4/5P

Distribution Box material:

polycarbonate

Bracket dimensions: 600 x 800 mm



DL-CCB-600+DR

Luminaire type: DL-01-600AC

Driver type: DR2-BOX-DL-0600AC

Bracket + lamp weight: 45.4 kg

Lamp tilt-drop settings:

0° - 10° - 20° - 90°

Bracket dimensions: 600 x 800 mm



DL-CCB-4x600-DIS

Distribution: 4 x 400V / 230V

Connector type: 3/4/5P

Distribution Box material: polycarbonate

Bracket dimensions:

600 x 800 mm



DL-CCB-600-SET

The Dark Licht Crane Bracket set includes:

- 4x DL-CCB-600+DR
- 1x DL-CCB-4x600-DIS
- 1x 60 meter 5 x 2.5 mm neopreme cable

Designed for easy stacking on a pallet, this set offers an ideal compact shipping and storage solution.

Accessories

Stabilizing Brackets



Illuminate your workspace with DCbright's self-leveling luminaire stabilizers. This innovative bracket ensures perfect alignment and minimal swing with every movement of the boom, providing optimal lighting in any situation. Wherever you install the product, our brackets provide stability and smooth movement, enhancing the quality of your site lighting.

DCbright stabilizing brackets are fixture-specific, with a wide variety of options and configurations. With robust construction and easy installation, our stabilizing brackets simplify the requirement to provide high-quality lighting at optimal levels to illuminate your working area. All stabilizing and crane brackets are made from 304/316 stainless steel with dual layer powder paint finish and come with a 5 year warranty.



Barracuda + Driver Stabilizing Bracket

Compatible luminaire:

BA-48-320AC

Bracket material:

304 / 316 Stainless Steel

Bracket weight:

9.3 kg

Driver option:

Remote on bracket



Orca + Driver Stabilizing Bracket

Compatible luminaire:

OR-156-800AC

Bracket material:

304 / 316 Stainless Steel

Bracket weight:

9.7 kg

Driver option:

Remote on bracket



Shark Stabilizing Bracket

Compatible luminaires:

SH-66-320AC SH-66-320DC-60V

Bracket material:

304 / 316 Stainless Steel

Bracket weight:

7.1 kg

Driver option AC:

Remote



Orca Stabilizing Bracket

Compatible luminaire:

OR-156-800AC

Bracket material:

304 / 316 Stainless Steel

Bracket weight:

8.7 kg

Driver option:

Remote

Get in contact for an full list of the stabilizing bracket.







Snapper HC Spotlighting 49.500 - 83.000 lm




Industrial Power. Unyielding Reliability.

The Snapper HC Series is built for high-intensity lighting in heavy-duty industrial applications, including harbor cranes. With outputs ranging from 49,000 to 83,000 lumens, Snapper HC delivers exceptional performance under the harshest conditions. Designed with IP67 and IK08 protection, it is resilient to dust, water, and impact, operating flawlessly in temperatures up to 122°F (50°C). Featuring precise ±240° adjustment and a wide range of optics, Snapper HC ensures powerful and customized lighting for your demanding operations.

DCbright Snapper HC - Engineered for Harbour Cranes.





Snapper HC: Common Specifications

Size & Weight

Snapper HC x2: 320 mm x 314 mm x 205 mm 12.6 in x 12.4 in x9.9 in 9.9 kg / 21.8 lb

Snapper HC x3: 320 mm x 484 mm x 205 mm 12.6 in x 19.1 in x9.9 in 12.6 kg / 27.8 lb

Operating Temperature

Standard: -40°C / -40°F < 50°C / 122°F

Cable / Remote Driver

Standard / SS: 2 m PUR

Ingress / Impact Protection


IP67, IK08

Fixture Adjustment

±180°, 30° steps

Lumen Maintenance

Standard: 345,000 hr, LM70



Snapper HC: Light and Power Specifications

Model	Lumens (5000K CCT)	Lm/W (100%)	Power (Watts)	Voltage	Optics	ССТ	Limited Warranty
SNx2-48-320AC-HC ¹	55,000	166	320	90-305 Vac	100s of options	5000K ²	3 year
SET 2xSNx2-48-320AC-HC	110,000	166	320	90-305 Vac	100s of options	5000K ²	3 year
SNx2-48-300DC-HC	44,100	147	300	24 Vdc	100s of options	5000K ²	3 year
SNx3-48-400/500AC-HC1	73,000	183	400	90-305 Vac	100s of options	5000K ²	3 year
SET SNx3-48-400/500AC-HC	146,000	183	400	90-305 Vac	100s of options	5000K ²	3 year
SNx3-48-450DC-HC	66,200	147	450	24 Vdc	100s of options	5000K ²	3 year

¹ Dual color available

^{*} Specifications differ per product.

² Optional: 1700-5700K





Dutch Engineered, and built with passion

JEL Products

info@jelproducts.nl www.jelproducts.nl

Sustainable | Lighting | Solutions