

JEL PRODUCTS

SUSTAINABLE | LIGHTING | SOLUTIONS

THE WORLD'S HIGHEST PERFORMING
INDUSTRIAL LED LIGHTS



MINING

CONSTRUCTION

INDUSTRIAL

MARITIME

LV LINEAR

Linear Luminaire - High Temperatures

Linear Luminaire – Reliable and Durable Lighting.

The HT Linear Luminaire offers high-performance, energy-efficient lighting for tough environments. With IP69K and IK08 protection, it's built to withstand extreme temperatures. Available in various wattages, beam angles, and color temperatures, it ensures long-lasting illumination (345,000 hours). Backed by a 5-year warranty, it's the ideal choice for industrial, commercial, and outdoor spaces.



HT Linear Common Specifications HT=High Temperature, OP=Optics Available

Size & Weight

LIN 30:
130 mm x 110 mm x 350 mm
5.1 in x 4.3 in x 13.8 in
2.8 kg / 6.2 lb

LIN 60:
130 mm x 110 mm x 650 mm
5.1 in x 4.3 in x 25.6 in
4.4 kg / 9.7 lb

LIN 90:
130 mm x 110 mm x 950 mm
5.1 in x 4.3 in x 37.4 in
6.0 kg / 13.2 lb

LIN120:
130 mm x 110 mm x 1250 mm
5.1 in x 4.3 in x 49.2 in
7.6 kg / 16.8 lb

Operating Temperature

Standard:
-40°C / -40°F < 50°C / 122°F
HT:
-45°C / -49°F < 120°C / 248°F

Ingress / Impact Protection

IP69K, IK08

Lumen Maintenance

345,000 hr, LM70

HT Linear Light and Power Specifications HT=High Temperature, OP=Optics Available

Model	Lumens (6500K CCT)	Lm/W (100%)	Power (Watts)	Voltage	Optics	CCT	Limited Warranty
LIN30-20AC-HT	4,000	200	20	90 - 305 Vac	120°	4000K ¹	3 year
LIN30-30AC	6,400	213	30	90 - 305 Vac	120°	4000K ²	3 year
LIN30-30AC-OP	6,400	213	30	90 - 305 Vac	30°, 60°	4000K ²	3 year
LIN30-30DC-OP	4,400	147	30	12 - 24 Vdc	14°, 38°, 70°, 14x46°	5000K ¹	3 year
LIN60-40AC-HT	8,000	200	40	90 - 305 Vac	120°	4000K ¹	3 year
LIN60-60AC	12,800	213	60	90 - 305 Vac	120°	4000K ²	3 year
LIN60-60AC-OP	12,800	213	60	90 - 305 Vac	30°, 60°	4000K ²	3 year
LIN60-60DC-OP	8,800	147	60	12 - 24 Vdc	14°, 38°, 70°, 14x46°	5000K ¹	3 year
LIN90-60AC-HT	12,000	200	60	90 - 305 Vac	120°	4000K ¹	3 year
LIN90-90AC	19,200	213	90	90 - 305 Vac	120°	4000K ²	3 year
LIN90-90AC-OP	19,200	213	90	90 - 305 Vac	30°, 60°	4000K ²	3 year
LIN90-90DC-OP	13,200	147	90	12 - 24 Vdc	14°, 38°, 70°, 14x46°	5000K ¹	3 year
LIN120-90AC-HT	18,000	200	90	90 - 305 Vac	120°	4000K ¹	3 year
LIN120-120AC	25,600	213	120	90 - 305 Vac	120°	4000K ²	3 year
LIN120-120AC-OP	25,600	213	120	90 - 305 Vac	30°, 60°	4000K ²	3 year
LIN120-120DC-OP	17,600	147	120	12 - 24 Vdc	14°, 38°, 70°, 14x46°	5000K ¹	3 year

¹ Dual color available (2700 - 6500K)

² Dual color available (1700 - 5700K)



PRODUCTS

SUSTAINABLE | LIGHTING | SOLUTIONS



Dutch Engineered, and built with passion

JEL Products

info@jelproducts.nl
www.jelproducts.nl

Sustainable | Lighting | Solutions